iClock360
Fingerprint Time & Attendance Terminal

Description:

This is an innovative biometric fingerprint time clock for Time & Attendance applications, offering unparalleled performance using an advanced algorithm for reliability, precision and excellent matching speed. The iClock360 features the fastest commercial-based fingerprint matching algorithm and ZK high-performance, high-image quality optical fingerprint sensor. 8 function keys are the shortcuts to change the attendance status, work-code or to browse the short message, and can be defined as required. TCP/IP communication is standard and make sure the data transmission between terminal and PC can be easily done within several seconds.

Key Features:

--3.5 " large Color TFT screen with GUI Interface for ease of use.
--ZKsoftware Optical Sensor
--1 touch a-second user recognition
--Stores 8,000 templates and 100,000 transactions
--Reads Fingerprint and/or PINs
--Optional integrated proximity or smart card reader
--Built-in Serial and Ethernet ports
--Built-in USB port allows for manual data transfer when
--network isn't available
--Optional integrated Wi-Fi(Please contact us for quotation for wifi functions)
--8 user-defined function keys
--Real-time 1-touch data export 3rd party hosted & non-
--hosted applications
--Audio-Visual indications for acceptance and rejection of
--valid/invalid fingers
--SDK available for OEM and software developers

Specifications:

|	
Fingerprint Capacity	8000
ID Card Capacity	10000
Record Capacity	200000
Display	3.5-inch Screen
Communication	TCP/IP, RS232/RS485.USB
Standard Functions	Workcode, SMS, DST, Scheduled-bell, Self-Service Query, Automatic Status Switch, T9 input, 9 digit user ID, and photo-ID
Optional Functions	ID/Mifare/HID, Webserver, and Wi-Fi, ADMS
Software	ZKTime.Net 3.0
Power Supply	DC 12V 1.5A
Verification Speed	≤1 sec
Operating Temp	0°C- 45°C
Operating Humidity	20%-80%
Dimension	192×140×41mm (Length×Width×Thickness)
Gross Weight	t 1.05 kg

Configuration:

## What's in the Box:

iClock360

Back Plate

Power Adapter

Screws and
Holders

RJ45 to RS485 2Pin cable

USB Cable